CLAIM AMENDMENTS

This listing of claims will replace all prior versions, and listings, of claims in the application:

1. (Original) A method comprising:

receiving, at a device driver, a first display information for a video image, the display
    information indicating a portion of the video image to be displayed in a first
    window of a first monitor; and

determining a first aspect ratio of the video image based on the first display information
    at the device driver.

2. (Currently Amended) The method of claim 1 further comprising:

determining a first display location for the video image on a second monitor, the first
    display location having approximately the first aspect ratio.

3. (Original) The method of claim 1, wherein receiving the first display information
comprises receiving a destination rectangle associated with the first window.

4. (Original) The method of claim 3, wherein receiving the first display information
comprises receiving a source display rectangle.

5. (Currently Amended) The method of claim 4, ~~wherein~~ further comprising: ¶
determining a portion of the video image that is to be clipped by an edge of the first
    monitor.

6. (Original) The method of claim 5, wherein the portion of the video image that is to be
clipped is a vertical portion.

7. (Original) The method of claim 5, wherein the portion of the video image that is to be
clipped is a horizontal portion.

8. (Currently Amended) The method of claim 5, wherein the portion of the ~~destination~~ video image that is to be clipped is a vertical portion of the destination rectangle and a horizontal portion.

9. (Currently Amended) The method of claim 1 further comprising:

determining a first display location for the video image on a second monitor, the first display location having approximately the first aspect ratio;

receiving at the device driver display device information for a resolution of the second monitor; and

wherein determining the first display location of the second monitor further comprises determining the first display location based on the display device information.

10. (Original) The method of claim 9, wherein receiving display device information includes receiving the display device information based upon user supplied information.

11. (Currently Amended) The method of claim 9, wherein receiving display device information includes receiving the display device information based upon a resolution of the first monitor.

12. (Original) The method of claim 9, wherein receiving display device information includes receiving the display device information based upon information received from the second monitor.

13. (Currently Amended) The method of claim 1, wherein the first ~~application~~ window is one of a plurality of application windows of the first monitor to be simultaneously displayed.

14. (Currently Amended) The method of ~~claim 1~~claim 9 further comprising:

receiving at the device driver a second display information to replace the first display information; and

determining a second aspect ratio based on the second display information.

15. (Currently Amended) The method of claim 14 further comprising:

determining a second display location for the video image on the second monitor, ¶
the second display location having approximately the second aspect ratio.

16. (Currently Amended) The method of ~~claim 1~~claim 2 further comprising:

providing the portion of the video image for display in the first window; and

providing the video image for display at the first display location.

17. (Original) A method comprising:

determining, at a device driver, a first aspect ratio of a video image to be at least partially

displayed in a first window of a first monitor; and

determining, based on the first aspect ratio, a first display location of a second monitor

for the video image.

18. (Original) The method of claim 17, wherein determining the first aspect ratio comprises determining the first aspect ratio based on a destination display rectangle associated with the first window.

19. (Original) The method of claim 18, wherein determining the first aspect ratio comprises determining the aspect ratio based on a source display rectangle.

20. (Currently Amended) The method of claim 19, wherein determining the first aspect ratio comprises determining the first aspect ratio when a portion of the video image to be at least partially displayed in the first window is clipped by an edge of [[a]]the first monitor.

21. (Original) The method of claim 20, wherein the edge of the first monitor includes a vertical edge.

22. (Currently Amended) The method of claim 20, wherein the edge of the first monitor includes a ~~vertical~~horizontal edge.

23. (Original) The method of claim 20, wherein the edge of the first monitor includes a vertical edge and a horizontal edge.

24. (Original) The method of claim 17 further comprising:

determining, at the device driver, a second aspect ratio of the second monitor; and

wherein determining the first display location of the second monitor comprises

determining the first display location based on the first aspect ratio and the second aspect ratio of the second monitor.

25. (Original) The method of claim 24, wherein determining the second aspect ratio of the second monitor comprises determining the second aspect ratio based upon user supplied information.

26. (Currently Amended) The method of claim 24, wherein determining the second aspect ratio of the second monitor comprises determining the second aspect ratio based upon a resolution of the first monitor.

27. (Currently Amended) The method of claim 24, wherein determining the second aspect ratio of the second monitor comprises determining the second aspect ratio based upon information received from the second monitor.

28. (Currently Amended) The method of claim 17, wherein ~~determining the first aspect ratio comprises~~ the video image is displayed in ~~a~~ the first ~~application~~ window of a plurality of ~~application~~ windows.

29. (Original) The method of claim 17 further comprising:

determining at the device driver, that a third aspect ratio has replaced the first aspect ratio; and

determining, based on the third aspect ratio, a second display location of the second monitor to replace the first display location.

30. (Original) The method of claim 17 further comprising:

displaying at least a first portion of the video image in the first window; and

displaying substantially all the video image at the first display location.

31. (Currently Amended) A system comprising ~~further comprising~~:

a first module to access a first information in a device driver to determine a first display
area of a video image to be displayed in a first window of a first monitor; and

as second module to determine, based on the first information, a first display location of a
second monitor for the video image.

32. (Canceled)

33. (Currently Amended) A system comprising further comprising:

a first module to determine a first aspect ratio of a video image to be displayed in a first
window of a first monitor; and

[[as]]a second module to determine, based on the first aspect ratio, a first display location
of a second monitor for the video image.